


RECEIVED



U.S. Department of Commerce JAN 03 2003

Date Filed: December 1, 2002

TECH CENTER 1600/2900

DOCKET NO. 22253-70421

APPLN. NO. 100236

APPLICANT: Lewis A. Chodosh, et al.

FILING DATE: 12/21/2001

RECEIVED

OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.)

- | | |
|----|---|
| 01 | Aasheim, H. C., Terstappen, L. W., and Logtenberg, T. "Regulated expression of the Eph-related receptor tyrosine kinase Hek11 in early human B lymphopoiesis." <i>Blood</i> 90: 3613-3622 (1997). |
| 02 | Adams, R. H., Wilkinson, G. A., Weiss, C., Diella, F., Gale, N. W., Deutsch, U., Risau, W., and Klein, R. "Roles of ephrinB ligands and EphB receptors in cardiovascular development: De-marcation of arterial/venous domains, vascular morphogenesis, and sprouting angiogenesis." <i>Genes Dev.</i> 13: 295-306 (1999). |
| 03 | Adnane, J., Gaudray, P., Dionne, C. A., Crumley, G., Jaye, M., Schlessinger, J., Jeanteur, P., Birnbaum, D., and Theillet, C. "BEK and FLG, two receptors to members of the FGF family, are amplified in subsets of human breast cancers." <i>Oncogene</i> 6: 659-663 (1991). |
| 04 | Alderson, A., Sabelli, P., Dickinson, J., Cole, D., Richardson, M., Kreis, M., Shewry, P., and Halford, N. "Complementation of snf1, a mutation affecting global regulation of carbon metabolism in yeast, by a plant protein kinase cDNA." <i>Proc. Natl. Acad. Sci. USA</i> 88: 8602-8605 (1991). |
| 05 | Andres, A.-C., Zuercher, G., Djonov, V., Flueck, M., and Ziemiecki, A. "Protein tyrosine kinase expression during the estrous cycle and carcinogenesis of the mammary gland." <i>Int. J. Cancer</i> 63: 288-296 (1995). |
| 06 | Becker, W., Heukelbach, J., Kentrup, H., and Joost, H. G. "Molecular cloning and characterization of a novel mammalian protein kinase harboring a homology domain that defines a sub-family of serine/threonine kinases." <i>Eur. J. Biochem.</i> 235: 736-743 (1996). |
| 07 | Bergemann, A. D., Zhang, L., Chiang, M. K., Brambilla, R., Klein, R., and Flanagan, J. G. "Ephrin-B3, a ligand for the receptor EphB3, expressed at the midline of the developing neural tube." <i>Oncogene</i> 16: 471-480 (1998). |
| 08 | Bessone, S., Vidal, F., Le Bouc, Y., Epelbaum, J., Bluet-Pajot, M. T. and Darmon, M. "EMK protein kinase-null mice: dwarfism and hypofertility associated with alterations in the somatotrope and prolactin pathways." <i>Dev. Biol.</i> 214: 87-101 (1999). |
| 09 | Betzl, G., Brem, G. and Weidle, U. H. "Epigenetic modification of transgenes under the control of the mouse mammary tumor virus LTR: tissue-dependent influence on transcription of the transgenes." <i>Biol. Chem.</i> 377: 711-719 (1996). |
| 10 | Bishop, D. F., Calhoun, D. H., Bernstein, H. S., Hantzopoulos, P., Quinn, M., and Desnick, R. J. "Human alpha-galactosidase A: Nucleotide sequence of a cDNA clone encoding the mature enzyme." <i>Proc. Natl. Acad. Sci. USA</i> 83: 4859-4863 (1986). |
| 11 | Bocchinfuso, W. P. and Korach, K. S. "Mammary gland development and tumorigenesis in estrogen receptor knockout mice." <i>J. Mamm. Gland Biol. Neoplasia</i> 2: 323-334 (1997). |
| 12 | Bohm, H., Brinkmann, V., Drab, M., Henske, A., and Kurzchalia, T. V. "Mammalian homologues of <i>C. elegans</i> PAR-1 are asymmetrically localized in epithelial cells and may influence their polarity." <i>Curr. Biol.</i> 7: 603-606 (1997). |
| 13 | Brinkley, P. M., Class, K., Bolen, J. B., and Penhallow, R. C. "Structure and developmental regulation of the murine ctk gene." <i>Gene</i> 163: 179-184 (1995). |
| 14 | Buhler, T. A., Dale, T. C., Kieback, C., Humphreys, R. C. and Rosen, J. M. "Localization and quantification of Wnt-2 gene expression in mouse mammary development." <i>Dev. Biol.</i> 155: 87-96 (1993). |
| 15 | Cance, W. G., Craven, R. J., Weiner, T. M., and Liu, E. T. "Novel protein kinases expressed in human breast cancer." <i>Int. J. Cancer</i> 54: 571-577 (1993). |
| 16 | Cardiff, R. D., and Muller, W. J. "Transgenic mouse models of mammary tumorigenesis." <i>Cancer Surv.</i> 16: 97-113 (1993). |
| 17 | Cardiff, R. D., Sinn, E., Muller, W., and Leder, P. "Transgenic oncogene mice. Tumor phenotype predicts genotype." <i>Am. J. Pathol.</i> 139: 495-501 (1991). |
| 18 | Carling, D., Aguan, K., Woods, A., Verhoeven, A. J., Beri, R. K., Brennan, C. H., Sidebottom, C., Davison, M. D., and Scott, J. "Mammalian AMP-activated protein kinase is homologous to yeast and plant protein kinases involved in the regulation of carbon metabolism." <i>J. Biol. Chem.</i> 269: 11442-11448 (1994). |
| 19 | Carlson, M., Osmond, B., and Botstein, D. "Mutants of yeast defective in sucrose utilization." <i>Genetics</i> 98: 25-40 (1981). |
| 20 | Celenza, J. L., Eng, F. J., and Carlson, M. "Molecular analysis of the SNF4 gene of <i>Saccharomyces cerevisiae</i> : Evidence for physical association of the SNF4 protein with the SNF1 protein kinase." <i>Mol. Cell. Biol.</i> 9: 5045-5054 (1989). |

Examiner Signature: *Brandon F. Miller*

Date Considered: 11/1/04

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).
PTO-1449.doc

RECEIVED

Sheet 2 of 8

PTO-1449

JAN 03 2003

RECEIVED

U.S. Department of Commerce

TECH CENTER 1600/2900

DOCKET NO. 22253-70421

APPL. NO. 10/032,256

JAN 06 2003

APPLICANT: Lewis A. Chodosh

Date Filed: December 31, 2002

FILING DATE: 12/21/2001

GROUP 1645

TECH CENTER 1600/2900

OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.)

- | | | |
|----|----|---|
| BF | 21 | Cho, R. J., Campbell, M. J., Winzler, E. A., Steinmetz, L., Conway, A., Wodicka, L., Wolfsberg, T. G., Gabrielian, A. E., Landsman, D., Lockhart, D. J., and Davis, R. W. "A genome-wide transcriptional analysis of the mitotic cell cycle." <i>Mol. Cell</i> 2: 65-73 (1998). |
| | 22 | Chodosh, L. A., D'Cruz, C. M., Gardner, H. P., Ha, S. I., Marquis, S. T., Rajan, J. V., Stairs, D. B., Wang, J. Y., and Wang, M. "Mammary gland development, reproductive history, and breast cancer risk." <i>Cancer Res.</i> 59: 1765-1771S (1999). |
| | 23 | Chodosh, L. A., Gardner, H. P., Rajan, J. V., Stairs, D. B., Marquis, S. T., and Leder, P. A. "Protein kinase expression during murine mammary development." <i>Dev. Biol.</i> 219: 259-276, (2000). |
| | 24 | Ciriacy, M. "Isolation and characterization of yeast mutants defective in intermediary carbon metabolism and in carbon catabolite repression." <i>Mol. Gen. Genet.</i> 154: 213-220 (1977). |
| | 25 | Copeland, N. G., and Jenkins, N. A. "Development and applications of a molecular genetic linkage map of the mouse genome." <i>Trends Genet.</i> 7: 113-118 (1991). |
| | 26 | Delabar, J. M., Theophile, D., Rahmani, Z., Chetouh, Z., Blouin, J. L., Prieur, M., Noel, B., and Sinet, P. M. "Molecular mapping of twenty-four features of Down syndrome on chromosome 21." <i>Eur. J. Hum. Genet.</i> 1: 114-124 (1993). |
| | 27 | Di Fiore, P., Pierce, J. H., Fleming, T. P., Hazan, R., Ullrich, A., King, C. R., Schlessinger, J. and Aaronson, S. A. "Overexpression of the human EGF receptor confers an EGF-dependent transformed phenotype to NIH 3T3 cells." <i>Cell</i> 51: 1063-1070 (1990). |
| | 28 | Drewes, G., Ebner, A., Preuss, U., Mandelkow, E. M., and Mandelkow, E. "MARK, a novel family of protein kinases that phosphorylate microtubule-associated proteins and trigger micro-tubule disruption." <i>Cell</i> 89: 297-308 (1997). |
| | 29 | Dymecki, S. M., Niederhuber, J. E., and Desiderio, S. V. "Specific expression of a tyrosine kinase gene, <i>blk</i> , in B lymphoid cells." <i>Science</i> 247: 332-336 (1990). |
| | 30 | Elson, A., and Leder, P. "Protein-tyrosine phosphatase epsilon. An isoform specifically expressed in mouse mammary tumors initiated by v-Ha-ras or neu." <i>J. Biol. Chem.</i> 270: 26116-26122 (1995). |
| | 31 | Fan, C. M., Kuwana, E., Bulfone, A., Fletcher, C. F., Copeland, N. G., Jenkins, N. A., Crews, S., Martinez, S., Puellas, L., Rubenstein, L. R., and Tessier-Lavigne, M. "Expression patterns of two murine homologs of <i>Drosophila</i> single-minded suggest possible roles in embryonic patterning and in the pathogenesis of Down syndrome." <i>Mol. Cell. Neurosci.</i> 7: 519 (1996). |
| | 32 | Ferrari, S., Manfredini, R., Tagliafico, E., Grande, A., Barbieri, D., Balestri, R., Pizzanelli, M., Zucchini, P., Citro, G., Zupi, G., et al. "Antiapoptotic effect of c-fes protooncogene during granulocytic differentiation." <i>Leukemia</i> 8: S91-94 (1994). |
| | 33 | Fields, S., and Song, O. "A novel genetic system to detect protein-protein interactions." <i>Nature</i> 340: 245-246 (1989). |
| | 34 | Fox, G. M., Holst, P. L., Chute, H. T., Lindberg, R. A., Janssen, A. M., Basu, R., and Welcher, A. A. "cDNA cloning and tissue distribution of five human EPH-like receptor protein-tyrosine kinases." <i>Oncogene</i> 10: 897-905 (1995). |
| | 35 | Ganju, P., Walls, E., Brennan, J., and Reith, A. D. "Cloning and developmental expression of Nsk2, a novel receptor tyrosine kinase implicated in skeletal myogenesis." <i>Oncogene</i> 11: 281-290 (1995). |
| | 36 | Gavin, B. J. and McMahon, A. P. "Differential regulation of the Wnt gene family during pregnancy and lactation suggests a role in postnatal development of the mammary gland." <i>Mol. Cell. Biol.</i> 12: 2418-2423 (1992). |
| | 37 | Guo, S. and Kemphues, K. "par-1, a gene required for establishing polarity in <i>C. elegans</i> embryos, encodes a putative ser/thr kinase that is asymmetrically distributed." <i>Cell</i> 81: 611-620 (1995). |
| | 38 | Guy, C. T., Muthuswamy, S. K., Cardiff, R. D., Soriano, P., and Muller, W. J. "Activation of the c-Src tyrosine kinase is required for the induction of mammary tumors in transgenic mice." <i>Genes Dev.</i> 8: 23-32 (1994). |
| BF | 39 | Hanks, S. K., Quinn, A. M., and Hunter, T. "The protein kinase family: Conserved features and deduced phylogeny of the catalytic domains." <i>Science</i> 241: 42-52 (1988). |

Examiner Signature: *Brendan Feltner*

Date Considered: 11/4/04

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).
PTO-1449.doc

RECEIVED

RECEIVED

Sheet 3 of 8

Form PTO-1449

JAN 03 2003

DOCKET NO. 22253-70421

JAN 06 2003

APPLN. NO. 10/032,256

U.S. Department of Commerce

TECH CENTER 1600/2900

Date Filed: December 31, 2002

APPLICANT: Lewis A. Chodosh, et al.

FILING DATE: 12/21/2001

GROUP 1645

OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.)

- Hanks, S., and Quinn, A. "Protein kinase catalytic domain sequence database: Identification of conserved features of primary structure and classification of family members." *Methods Enzymol.* 200: 38-79 (1991).
- 41 Hardie, D. G. "Roles of the AMP-activated/SNF1 protein kinase family in the response to cellular stress." *Biochem. Soc. Symp.* 64: 13-27 (1999).
- 42 Hardie, D. G., Carling, D. and Halford, N. "Roles of the Snf1/Rkin1/AMP-activated protein kinase family in the response to environmental and nutritional stress." *Semin. Cell Biol.* 5: 409-416 (1994).
- 43 Hardie, D. G., Corton, J., Ching, Y. P., Davies, S. P., and Hawley, S. "Regulation of lipid metabolism by the AMP-activated protein kinase." *Biochem. Soc. Trans.* 25: 1229-1231 (1997).
- 44 Hardie, D. G., Salt, I. P., Hawley, S. A., and Davies, S. P. "AMP-activated protein kinase: An ultrasensitive system for monitoring cellular energy charge." *Biochem. J.* 338: 717-722 (1999).
- 45 Henderson, B. E., Ross, R. K. and Bernstein, L. "Estrogens as a cause of human cancer: the Richard and Hinda Rosenthal Foundation Award Lecture." *Cancer Res* 48: 246-253 (1988).
- 46 Herve, D., Rogard, M., and Levi-Strauss, M. "Molecular analysis of the multiple Golf alpha subunit mRNAs in the rat brain." *Brain Res. Mol. Brain Res.* 32: 125-134 (1995).
- 47 Heyer, B. S., Warsowe, J., Solter, D., Knowles, B. B., and Ackerman, S. L. "New member of the Snf1/AMPK kinase family, Melk, is expressed in the mouse egg and preimplantation embryo." *Mol. Reprod. Dev.* 47: 148-156 (1997).
- 48 Huang, A. L., Ostrowski, M. C., Berard, D. and Hager, G. L. "Glucocorticoid regulation of the Ha-MuSV p21 gene conferred by sequences from mouse mammary tumor virus." *Cell* 27: 245-255 (1981).
- 49 Humphreys, R. C., Lydon, J. P., O'Malley, B. W. and Rosen, J. M. "Use of PRKO mice to study the role of progesterone in mammary gland development." *J. Mamm. Gland Biol. Neoplasia* 2: 343-354 (1997).
- 50 Itoh, N., Mima, T., and Mikawa, T. "Loss of fibroblast growth factor receptors is necessary for terminal differentiation of embryonic limb muscle." *Development* 122: 291-300 (1996).
- 51 Jenkins, N. A., Copeland, N. G., Taylor, B. A., and Lee, B. K. "Organization, distribution, and stability of endogenous ecotropic murine leukemia virus DNA sequences in chromosomes of *Mus musculus*." *J. Virol.* 43: 26 (1982).
- 52 Jin, L., Fuchs, A., Schnitt, S. J., Yao, Y., Joseph, A., Lamszus, K., Park, M., Goldberg, I. D., and Rosen, E. M. "Expression of scatter factor and c-met receptor in benign and malignant breast tissue." *Cancer* 79: 749-760 (1997).
- 53 Kelsey, J. L., Gammon, M. D. and John, E. M. "Reproductive factors and breast cancer." *Epidemiol. Rev.* 15: 36-47 (1993).
- 54 Klijn, J., Berns, E., and Foekens, J. "Prognostic factors and response to therapy in breast cancer." In "Breast Cancer" (I. Fentiman and J. Taylor-Papadimitriou, Eds.) 18: 165-198. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY. (1993).
- 55 Kluppel, M., Donoviel, D. B., Brunkow, M. E., Motro, B., and Bernstein, A. "Embryonic and adult expression patterns of the Tec tyrosine kinase gene suggest a role in megakaryocytopoiesis, blood vessel development, and melanogenesis." *Cell Growth Differ.* 8: 1249-1256 (1997).
- BF 56 Korenberg, J. R., Chen, X. N., Schipper, R., Sun, Z., Gonsky, R., Gerwehr, S., Carpenter, N., Daumer, C., Dignan, P., Distech, C., et al. "Down syndrome phenotypes: The consequences of chromosomal imbalance." *Proc. Natl. Acad. Sci. USA* 91: 4997-5001 (1994).
- 57 Korobko, I. V., Kabishev, A. A., and Kiselev, S. L. "[Identification of the new protein kinase specifically transcribed in mouse tumors with high metastatic potential]." *Doklady Akad. Nauk* 354: 554-556 (1997).
- BF 58 Kozak, M. "An analysis of 59-noncoding sequences from 699 vertebrate messenger RNAs." *Nucleic Acids Res.* 15: 8125-8132 (1987).
- BF 59 Kozak, M. "An analysis of vertebrate mRNA sequences: Intimations of translational control." *J. Cell Biol.* 115: 887-903 (1991).

Examiner Signature:

Brandon K. Allen

Date Considered:

11/4/01

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).

PTO-1449.doc

RECEIVED

RECEIVED

Sheet 4 of 8

Form PTO-1449

JAN 03 2003

U.S. Department of Commerce

Date Filed: December 31, 2002

DOCKET NO. 22253-70421

APPL. NO. 10/032,256

APPLICANT: Lewis A. Molosh, et al.

FILING DATE: 12/21/2001

GROUP 1600/2900

OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.)

60	Krull, C. E., Lansford, R., Gale, N. W., Collazo, A., Marcelle, C., Yancopoulos, G. D., Fraser, S. E., and Bronner-Fraser, M. "Interactions of Eph-related receptors and ligands confer rostrocaudal pattern to trunk neural crest migration." <i>Curr. Biol.</i> 7: 571-580 (1997).
61	Kurioka, K., Nakagawa, K., Denda, K., Miyazawa, K., and Kitamura, N. "Molecular cloning and characterization of a novel protein serine/threonine kinase highly expressed in mouse embryo." <i>Biochim. Biophys. Acta</i> 1443: 275-284 (1998).
62	Lai, C., Gore, M., and Lemke, G. "Structure, expression, and activity of Tyro 3, a neural adhesion-related receptor tyrosine kinase." <i>Oncogene</i> 9: 2567-2578 (1994).
63	Lambe, M., Hsieh, C.-C., Trichopoulos, D., Ekblom, A., Pavia, M., and Adami, H.-O. "Transient increase in the risk of breast cancer after giving birth." <i>N. Engl. J. Med.</i> 331: 5-9 (1994).
64	Leder, A., Pattengale, P. K., Kuo, A., Stewart, T. A., and Leder, P. Consequences of widespread deregulation of the c-myc gene in transgenic mice: Multiple neoplasms and normal development." <i>Cell</i> 45: 485-495 (1986).
65	Le Guen, L., Thomas, M., Bianchi, M., Halford, N. G., and Kreis, M. "Structure and expression of a gene from Arabidopsis thaliana encoding a protein related to SNF1 protein kinase." <i>Gene</i> 120: 249-254 (1992).
66	Lee, K. S., Yuan, Y.-L. O., Kuriyama, R., and Erikson, R. L. "Plk is an M-phase-specific protein kinase and interacts with a kinesin-like protein, CHO1/MKLP-1." <i>Mol. Cell. Biol.</i> 15: 7143-7151 (1995).
67	Lehtola, L., Partanen, J., Sistonen, L., Korhonen, J., Warri, A., Harkonen, P., Clarke, R., and Alitalo, K. "Analysis of tyrosine kinase mRNAs including four FGF receptor mRNAs expressed in MCF-7 breast cancer cells." <i>Int. J. Cancer</i> 50: 598-603 (1992).
68	Levin, D. E., and Bishop, J. M. "A putative protein kinase gene (kin11) is important for growth polarity in <i>Schizosaccharomyces pombe</i> ." <i>Proc. Natl. Acad. Sci. USA</i> 87: 8272-8276 (1990).
69	Li, J., Simpson, L., Takahashi, M., Miliareis, C., Myers, M. P., Tonks, N., and Parsons, R. "The PTEN/MMAC1 tumor suppressor induces cell death that is rescued by the AKT/protein kinase B oncogene." <i>Cancer Res.</i> 58: 5667-5672 (1998).
70	Li, J., Yen, C., Liaw, D., Podsypanina, K., Bose, S., Wang, S. I., Puc, J., Miliareis, C., Rodgers, L., McCombie, R., Bigner, S. H., Giovanella, B. C., Ittmann, M., Tycko, B., Hibshoosh, H., Wigler, M. H., and Parsons, R. "PTEN, a putative protein tyrosine phosphatase gene mutated in human brain, breast, and prostate cancer [see comments]." <i>Science</i> 275: 1943-1947 (1997).
71	Liang, T. J., Reid, A. E., Xavier, R., Cardiff, R. D., and Wang, T. C. "Transgenic expression of tpr-met oncogene leads to development of mammary hyperplasia and tumors." <i>J. Clin. Invest.</i> 97: 2872-2877 (1996).
72	Liaw, D., Marsh, D. J., Li, J., Dahia, P. L., Wang, S. I., Zheng, Z., Bose, S., Call, K. M., Tsou, H. C., Peacocke, M., Eng, C., and Parsons, R. "Germline mutations of the PTEN gene in Cowden disease, an inherited breast and thyroid cancer syndrome." <i>Nat. Genet.</i> 16: 64-67 (1997).
73	Ligos, J. M., Gerwin, N., Fernandez, P., Gutierrez-Ramos, J. C., and Bernad, A. "Cloning, expression analysis, and functional characterization of PKL12, a member of a new subfamily of Ser/Thr kinases." <i>Biochem. Biophys. Res. Commun.</i> 249: 380-384 (1998).
74	MacMahon, B., Cole, P., Lin, T. M., Lowe, C. R., Mirra, A. P., Ravnihar, B., Salber, E. J., Valaoras, V. G., and Yuasa, S. "Age at first birth and breast cancer risk." <i>Bull. WHO</i> 43: 209-221 (1970).
75	MacMahon, B., Trichopoulos, D., Brown, J., Andersen, A. P., Aoki, K., Cole, P., DeWaard, F., Kaureniemi, T., Morgan, R. W., Purde, M., Ravnihar, B., Stormby, N., Westlund, K., and Woo, N.-C. "Age at menarche, probability of ovulation and breast cancer risk." <i>Int. J. Cancer</i> 29: 13-16 (1982).
76	Maggiore, P., Marchio, S., Stella, M. C., Gai, M., Belfiore, A., DeBortoli, M., Di Renzo, M. F., Costantino, A., Sismondi, P., and Comoglio, P. M. "Overexpression of the RON gene in human breast carcinoma." <i>Oncogene</i> 16: 2927-2933 (1998).
77	Manfredini, R., Balestri, R., Tagliafico, E., Trevisan, F., Pizzanelli, M., Grande, A., Barbieri, D., Zucchini, P., Citro, G., Franceschi, C., and Ferrari, S. "Antisense inhibition of c-fes proto-oncogene blocks PMA-induced macrophage differentiation in HL60 and in FDC-P1/MAC-11 cells." <i>Blood</i> 89: 135-145 (1997).
78	Mano, H., Sato, K., Yazaki, Y., and Hirai, H. "Tec protein-tyrosine kinase directly associates with Lyn protein-tyrosine kinase through its N-terminal unique domain." <i>Oncogene</i> 9: 3205-3211 (1994).

Examiner Signature: *Brendon E. Pelt*

Date Considered: 11/4/02

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to applicant(s).

PTO-1449.doc

RECEIVED

RECEIVED

Sheet 5 of 8

Form PTO-1449

JAN 03 2003

DOCKET NO. 22253-70421

APPL NO. 10032256

U.S. Department of Commerce

TECH CENTER 1600/2900

APPLICANT: Lewis A. Chodosh, et al.

Date Filed: December 31, 2002

FILING DATE: 12/21/2001

GROUP 1645

OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.)

- | | |
|----|--|
| | Mano, H., Yamashita, Y., Miyazato, A., Miura, Y., and Ozawa, K. "Tec protein-tyrosine kinase is an effector molecule of Lyn protein-tyrosine kinase." <i>FASEB J.</i> 10: 637-642 (1996). |
| 80 | Marquis, S. T., Rajan, J. V., Wynshaw-Boris, A., Xu, J., Yin, G.-Y., Abel, K. J., Weber, B. L., and Chodosh, L. A. "The developmental pattern of Brca1 expression implies a role in differentiation of the breast and other tissues." <i>Nat. Genet.</i> 11: 17-26 (1995). |
| 81 | Mischak, H., Kolch, W., Goodnight, J., Davidson, W. F., Rapp, U., Rose-John, S., and Mushinski, J. F. "Expression of protein kinase C genes in hemopoietic cells is cell-type- and B cell-differentiation stage specific." <i>J. Immunol.</i> 147: 3981-3987 (1991). |
| 82 | Moore, F., Weekes, J., and Hardie, D. G. "Evidence that AMP triggers phosphorylation as well as direct allosteric activation of rat liver AMP-activated protein kinase. A sensitive mechanism to protect the cell against ATP depletion." <i>Eur. J. Biochem.</i> 199: 691-697 (1991). |
| 83 | Morrison, B. W., and Leder, P. "neu and ras initiate murine mammary tumors that share genetic markers generally absent in c-myc and int-2-initiated tumors." <i>Oncogene</i> 9: 3417-3426 (1994). |
| 84 | Muller, W. J., Lee, F. S., Dickson, C., Peters, G., Pattengale, P., and Leder, P. "The int-2 gene product acts as an epithelial growth factor in transgenic mice." <i>EMBO J.</i> 9: 907-913 (1990). |
| 85 | Muller, W. J., Sinn, E., Pattengale, P. K., Wallace, R., and Leder, P. "Single-step induction of mammary adenocarcinoma in transgenic mice bearing the activated c-neu oncogene." <i>Cell</i> 54: 105-115 (1988). |
| 86 | Munn, R., Webster, M., Muller, W., and Cardiff, R. "Histopathology of transgenic mouse mammary tumors (a short atlas)." <i>Semin. Cancer Biol.</i> 6: 153-158 (1995). |
| 87 | Muranaka, T., Banno, H., and Machida, Y. "Characterization of tobacco protein kinase NPK5, a homolog of <i>Saccharomyces cerevisiae</i> SNF1 that constitutively activates expression of the glucose-repressible SUC2 gene for a secreted invertase of <i>S. cerevisiae</i> ." <i>Mol. Cell. Biol.</i> 14: 2958-2965 (1994). |
| 88 | Myohanen, S., Kauppinen, L., Wahlfors, J., Alhonen, L., and Janne, J. "Human spermidine synthase gene: Structure and chromosomal localization." <i>DNA Cell Biol.</i> 10: 467-474 (1991). |
| 89 | Myohanen, S., Wahlfors, J., Alhonen, L., and Janne, J. "Nucleotide sequence of mouse spermidine synthase cDNA." <i>DNA Seq.</i> 4: 343-346 (1994). |
| 90 | Newcomb, P., Storer, B., Longnecker, M., Mittendorf, R., Greenberg, E., Clapp, R., Burke, K., Willett, W., and MacMahon, B. "Lactation and a reduced risk of premeno-pausal breast cancer." <i>N. Engl. J. Med.</i> 330: 81-87 (1994). |
| 91 | Niemann, C., Brinkmann, V., Spitzer, E., Hartmann, G., Sachs, M., Naundorf, H., and Birchmeier, W. "Reconstitution of mammary gland development in vitro: requirement of c-met and c-erbB2 signaling for branching and alveolar morphogenesis." <i>J. Cell Biol.</i> 143: 533-545 (1998). |
| 92 | Parsa, I. "Loss of a Mr 78,000 marker in chemically induced transplantable carcinomas and primary carcinoma of human pancreas." <i>Cancer Res.</i> 48: 2265-2272 (1988). |
| 93 | Partanen, J., Armstrong, E., Makela, T. P., Korhonen, J., Sandberg, M., Renkonen, R., Knuutila, S., Huebner, K., and Alitalo, K. "A novel endothelial cell surface receptor tyrosine kinase with extracellular epidermal growth factor homology domains." <i>Mol. Cell. Biol.</i> 12: 1698-1707 (1992). |
| 94 | Parthasarathy, L., Parthasarathy, R., and Vadnal, R. "Molecular characterization of coding and untranslated regions of rat cortex lithium-sensitive myoinositol monophosphatase cDNA." <i>Gene</i> 191: 81-87 (1997). |
| 95 | Peng, C. Y., Graves, P. R., Ogg, S., Thoma, R. S., Byrnes, M. J., 3rd, Wu, Z., Stephenson, M. T., and Piwnicka-Worms, H. "C-TAK1 protein kinase phosphorylates human Cdc25C on serine 216 and promotes 14-3-3 protein binding." <i>Cell Growth Differ.</i> 9: 197-208 (1998). |
| 96 | Peng, C. Y., Graves, P. R., Thoma, R. S., Wu, Z., Shaw, A. S., and Piwnicka-Worms, H. "Mitotic and G2 checkpoint control: Regulation of 14-3-3 protein binding by phosphorylation of Cdc25C on serine-216." <i>Science</i> 277: 1501-1505 (1997). |
| 97 | Pike, M. C., Spicer, D. V., Dahmouch, L. and Press, M. F. "Estrogens, progestogens, normal breast cell proliferation, and breast cancer risk." <i>Epidemiol. Rev.</i> 15: 17-35 (1993). |
| 98 | Ponticos, M., Lu, Q. L., Morgan, J. E., Hardie, D. G., Partridge, T. A., and Carling, D. (1998). Dual regulation of the AMP-activated protein kinase provides a novel mechanism for the control of creatine kinase in skeletal muscle. <i>EMBO J.</i> 17: 1688-1699 (1998). |

Examiner Signature: *Brandon Fu/AM*

Date Considered: 11/04/04

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).
PTO-1449.doc

RECEIVED

JAN 08 2003

U.S. Department of Commerce

TECH CENTER 1600/2900

Date Filed: December 31, 2002

DOCKET NO. 22253-70421

APPL. NO. 10/032,256

APPLICANT: Lewis A. Chodosh, et al.

FILING DATE: 12/21/2001

GROUP 1649

OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.)

- | | |
|-----|---|
| 99 | Quintrell, N., Lebo, R., Varmus, H., Bishop, J. M., Pettenati, M. J., LeBeau, M. M., Diaz, M. O., and Rowley, J. D. "Identification of a human gene (HCK) that encodes a protein-tyrosine kinase and is expressed in hemopoietic cells." <i>Mol. Cell. Biol.</i> 7: 2267-2275 (1987). |
| 100 | Rahmani, Z., Blouin, J. L., Creau-Goldberg, N., Watkins, P. C., Mattei, J. F., Poissonnier, M., Prieur, M., Chettouh, Z., Nicole, A., Aurias, A., et al., "Critical role of the D21S55 region on chromosome 21 in the pathogenesis of Down syndrome." <i>Proc. Natl. Acad. Sci. USA</i> 86: 5958-5962 (1989). |
| 101 | Rajan, J. V., Marquis, S. T., Gardner, H. P., and Chodosh, L. A. "Developmental expression of Brca2 colocalizes with Brca1 and is associated with differentiation in multiple tissues." <i>Dev. Biol.</i> 184: 385-401 (1997). |
| 102 | Rawlings, D. J., and Witte, O. N. "Bruton's tyrosine kinase is a key regulator in B-cell development." <i>Immunol. Rev.</i> 138: 105-119 (1994). |
| 103 | Robinson, G. W., McKnight, R. A., Smith, G. H., and Hennighausen, L. "Mammary epithelial cells undergo secretory differentiation in cycling virgins but require pregnancy for the establishment of terminal differentiation." <i>Development</i> 121: 2079-2090 (1995). |
| 104 | Ruiz, J., Conlon, F., and Robertson, E. "Identification of novel protein kinases expressed in the myocardium of the developing mouse heart." <i>Mech. Dev.</i> 48: 153-164 (1994). |
| 105 | Russo, I. H., and Russo, J. "Developmental stage of the rat mammary gland as determinant of its susceptibility to 7,12-dimethylben(a)anthracene." <i>J. Natl. Cancer Inst.</i> 61: 1439-1449 (1978). |
| 106 | Russo, J., and Russo, I. H. "Biological and molecular bases of mammary carcinogenesis." <i>Lab. Invest.</i> 57: 112-137 (1987). |
| 107 | Sano, H., and Youssefian, S. "Light and nutritional regulation of transcripts encoding a wheat protein kinase homolog is mediated by cytokinins." <i>Proc. Natl. Acad. Sci. USA</i> 91: 2582-2586. |
| 108 | Santoro, M. M., Collesi, C., Grisendi, S., Gaudino, G., and Comoglio, P. M. "Constitutive activation of the RON gene promotes invasive growth but not transformation." <i>Mol. Cell. Biol.</i> 16: 7072-7083 (1996). |
| 109 | Sato, K., Mano, H., Ariyama, T., Inazawa, J., Yazaki, Y., and Hirai, H. "Molecular cloning and analysis of the human Tec protein-tyrosine kinase." <i>Leukemia</i> 8: 1663-1672 (1994). |
| 110 | Sato, T. N., Qin, Y., Kozak, C. A., and Audus, K. L. "Tie-1 and tie-2 define another class of putative receptor tyrosine kinase genes expressed in early embryonic vascular system." <i>Proc. Natl. Acad. Sci. USA</i> 90: 9355-9358 (1993). [Published erratum appears in <i>Proc. Natl. Acad. Sci. USA</i> , 1993, 15, 12056] |
| 111 | Sato, T. N., Tozawa, Y., Deutsch, U., Wolburg-Buchholz, K., Fujiwara, Y., Gendron-Maguire, M., Gridley, T., Wolburg, H., Risau, W., and Qin, Y. "Distinct roles of the receptor tyrosine kinases Tie-1 and Tie-2 in blood vessel formation." <i>Nature</i> 376: 70-74 (1995). |
| 112 | Schnurch, H., and Risau, W. "Expression of tie-2, a member of a novel family of receptor tyrosine kinases, in the endothelial cell lineage." <i>Development</i> 119: 957-968 (1993). |
| 113 | Shulman, J. M., Benton, R. and St Johnston, D. "The Drosophila homolog of C. elegans PAR-1 organizes the oocyte cytoskeleton and directs oskar mRNA localization to the posterior pole." <i>Cell</i> 101: 377-388 (2000). |
| 114 | Siliciano, J. D., Morrow, T. A., and Desiderio, S. V. "itk, a T-cell-specific tyrosine kinase gene inducible by interleukin 2." <i>Proc. Natl. Acad. Sci. USA</i> 89: 11194-11198 (1992). |
| 115 | Sinn, E., Muller, W., Pattengale, P., Tepler, I., Wallace, R., and Leder, P. "Coexpression of MMTV/v-Ha-ras and MMTV/c-myc genes in transgenic mice: Synergistic action of oncogenes in vivo." <i>Cell</i> 49: 465-475 (1987). |
| 116 | Slamon, D. J., Clark, G. M., and Wong, S. G. "Human breast cancer: Correlation of relapse and survival with amplification of the HER-2/neu oncogene." <i>Science</i> 235: 177-182 (1987). |
| 117 | Slamon, D. J., Godolphin, W., Jones, L. A., Holt, J. A., Wong, S. G., Keith, D. E., Levin, W. J., Stuart, S. G., Udove, J., Ullrich, A., et al. "Studies of the HER-2/neu proto-oncogene in human breast and ovarian cancer." <i>Science</i> 244: 707-712 (1989). |
| 118 | Stairs, D. B., Gardner, H. P., Ha, S. I., Copeland, N. G., Gilbert, D. J., Jenkins, N. A., and Chodosh, L. A. "Cloning and characterization of Krct, a member of a novel subfamily of serine/threonine kinases." <i>Hum. Mol. Genet.</i> 7: 2157-2166 (1998). |
| 119 | Stambolic, V., Suzuki, A., de la Pompa, J. L., Brothers, G. M., Mirtsos, C., Sasaki, T., Ruland, J., Penninger, J. M., Siderovski, D. P., and Mak, T. W. "Negative regulation of PKB/Akt-dependent cell survival by the tumor suppressor PTEN." <i>Cell</i> 95: 29-39 (1998). |

Examiner Signature: *Brent K. M...*

Date Considered: 11/01/01

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).

RECEIVED

RECEIVED

Sheet 7 of 8

Form PTO-1449

JAN 0 8 2003

U.S. Department of Commerce

TECH CENTER 1600/2900

DOCKET NO. 22253-70421

APP. NO. 10/032,453

APPLICANT: Lewis A. Chodosh, et al.

FILING DATE: 12/21/2001

GROUP 1600/2900

Date Filed: December 31, 2002

OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.)

- 120 Steck, P. A., Pershouse, M. A., Jasser, S. A., Yung, W. K., Lin, H., Ligon, A. H., Langford, L. A., Baumgard, M. L., Hattier, T., Davis, T., Frye, C., Hu, R., Swedlund, B., Teng, D. H., and Tavtigian, S. V. "Identification of a candidate tumour suppressor gene, MMAC1, at chromosome 10q23.3 that is mutated in multiple advanced cancers." *Nat. Genet.* 15: 356-362 (1997).
- 121 Sternlicht, M. D., Lochter, A., Sympton, C. J., Huey, B., Rougier, J., Gray, J. W., Pinkel, D., Bissell, M. J. and Werb, Z. "The stromal proteinase MP3/ stromelysin-1 promotes mammary carcinogenesis." *Cell* 98: 137-146 (1999).
- 122 Stitt, T. N., Conn, G., Gore, M., Lai, C., Bruno, J., Radziejewski, C., Mattsson, K., Fisher, J., Gies, D. R., Jones, P. F., et al. "The anticoagulation factor protein S and its relative, Gas6, are ligands for the Tyro 3/Axl family of receptor tyrosine kinases." *Cell* 80: 661-670 (1995).
- 123 Tamagnone, L., and Comoglio, P. M. "Control of invasive growth by hepatocyte growth factor (HGF) and related scatter factors." *Cytokine Growth Factor Rev.* 8: 129-142 (1997).
- 124 ten Dijke, P., Franzen, P., Yamashita, H., Ichijo, H., Heldin, C., and Miyazono, K. "Serine-threonine kinase receptors." *Progr. Growth Factor Res.* 5: 55-72 (1994).
- 125 Teng, C. "Mouse lactoferrin gene: a marker for estrogen and epidermal growth factor." *Environ. Health Perspect.* 103: 17-20 (1995).
- 126 Thompson-Jaeger, S., Francois, J., Gaughran, J. P., and Tatchell, K. "Deletion of SNF1 affects the nutrient response of yeast and resembles mutations which activate the adenylate cyclase path-way." *Genetics* 129: 697-706 (1991).
- 127 Tokishita, S., Shiga, Y., Kimura, S., Ohta, T., Kobayashi, M., Hanazato, T., and Yamagata, H. "Cloning and analysis of a cDNA encoding a two-domain hemoglobin chain from the water flea *Daphnia magna*." *Gene* 189: 73-78 (1997).
- 128 Topper, Y. J. and Freeman, C. S. "Multiple hormone interactions in the developmental biology of the mammary gland." *Physiol. Rev.* 60: 1049-1106 (1980).
- 129 Tsarfaty, I., Resau, J. H., Rulong, S., Keydar, I., Faletto, D. L., and Vande Woude, G. F. "The met proto-oncogene receptor and lumen formation." *Science* 257: 1258-1261 (1992).
- 130 Tsukada, S., Saffran, D. C., Rawlings, D. J., Parolini, O., Allen, R. C., Klisak, I., Sparkes, R. S., Kubagawa, H., Mohandas, T., Quan, S., et al. "Deficient expression of a B cell cytoplasmic tyrosine kinase in human X-linked agammaglobulinemia." *Cell* 72: 279-290 (1993).
- 131 Ugolini, F., Adelaide, J., Charafe-Jauffret, E., Nguyen, C., Jacquemier, J., Jordan, B., Birnbaum, D., and Pebusque, M. J. "Differential expression assay of chromosome arm 8p genes identifies Frizzled-related (FRP1/FRZB) and fibroblast growth factor receptor 1 (FGFR1) as candidate breast cancer genes." *Oncogene* 18: 1903-1910 (1999).
- 132 Umemori, H., Wanaka, A., Kato, H., Takeuchi, M., Tohyama, M., and Yamamoto, T. "Specific expressions of Fyn and Lyn, lymphocyte antigen receptor-associated tyrosine kinases, in the central nervous system." *Brain Res. Mol. Brain Res.* 16: 303-310 (1992).
- 133 Valenzuela, D. M., Rojas, E., Griffiths, J. A., Compton, D. L., Gisser, M., Ip, N. Y., Goldfarb, M., and Yancopoulos, G. D. "Identification of full-length and truncated forms of Ehk-3, a novel member of the Eph receptor tyrosine kinase family." *Oncogene* 10: 1573-1580 (1995a).
- 134 Valenzuela, D. M., Stitt, T. N., DiStefano, P. S., Rojas, E., Mattsson, K., Compton, D. L., Nunez, L., Park, J. S., Stark, J. L., Gies, D. R., et al. "Receptor tyrosine kinase specific for the skeletal muscle lineage: Expression in embryonic muscle, at the neuromuscular junction, and after injury." *Neuron* 15: 573-584 (1995b).
- 135 Wang, M. H., Dhugosz, A. A., Sun, Y., Suda, T., Skeel, A., and Leonard, E. J. "Macrophage-stimulating protein induces proliferation and migration of murine keratinocytes." *Exp. Cell Res.* 226: 39-46 (1996).
- 136 Webster, N. J., Resnik, J. L., Reichart, D. B., Strauss, B., Haas, M., and Seely, B. L. "Repression of the insulin receptor promoter by the tumor suppressor gene product p53: A possible mechanism for receptor overexpression in breast cancer." *Cancer Res.* 56: 2781-2788 (1996).
- 137 Wilks, A. F. "Cloning members of protein-tyrosine kinase family using polymerase chain reaction." *Methods Enzymol.* 200: 533-546 (1991).
- 138 Wilks, A. F. "Two putative protein-tyrosine kinases identified by application of the polymerase chain reaction." *Proc. Natl. Acad. Sci. USA* 86: 1603-1607 (1989).

Examiner Signature: *Brendon [Signature]*

Date Considered: 1/27/04

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).
PTO-1449.doc

JAN 03 2003

RECEIVED

JAN 08 2003

TECH CENTER 1600/2900

TECH CENTER 1600/2900
N. NO. 10/032,256

U.S. Department of Commerce

Date Filed: December 31, 2002

DOCKET NO. 22253-70421

APPLICANT: Lewis A. Chodosh, et al.

FILING DATE: 12/21/2001

GROUP 1645

OTHER DOCUMENT(S) (Including Author, Title, Date, Pertinent Pages, etc.)

- | | |
|-----|--|
| 139 | Wilks, A. F., Kurban, R. R., Hovens, C. M., and Ralph, S. J. "The application of the polymerase chain reaction to cloning members of the protein tyrosine kinase family." <i>Gene</i> 85: 67-74 (1989). |
| 140 | Wilson, W., Hawley, S., and Hardie, D. "Glucose repression/derepression in budding yeast: SNF1 protein kinase is activated by phosphorylation under derepressing conditions, and this correlates with a high AMP:ATP ratio." <i>Curr. Biol.</i> 6: 1426-1434 (1996). |
| 141 | Woods, A., Cheung, P. C., Smith, F. C., Davison, M. D., Scott, J., Beri, R. K., and Carling, D. "Characterization of AMP-activated protein kinase beta and gamma subunits. Assembly of the hetero-trimeric complex in vitro". <i>J. Biol. Chem.</i> 271: 10282-10290 (1996). |
| 142 | Wyllie, A. H., Arends, M. J., Morris, R. G., Walker, S. W., and Evan, G. "The apoptosis endonuclease and its regulation." <i>Semin. Immunol.</i> 4: 389-397 (1992). |
| 143 | Yang, X., Hubbard, E. J., and Carlson, M. "A protein kinase substrate identified by the two-hybrid system." <i>Science</i> 257: 680-682 (1992). |
| 144 | Yang, X., Jiang, R., and Carlson, M. "A family of proteins containing a conserved domain that mediates interaction with the yeast SNF1 protein kinase complex." <i>EMBO J.</i> 13: 5878-5886 (1994). |
| 145 | Yi, T. L., Bolen, J. B., and Ihle, J. N. "Hematopoietic cells express two forms of lyn kinase differing by 21 amino acids in the amino terminus." <i>Mol. Cell. Biol.</i> 11: 2391-2398 (1991). |
| 146 | Yokokura, H., Picciotto, M. R., Nairn, A. C., and Hidaka, H. "The regulatory region of calcium/calmodulin-dependent protein kinase I contains closely associated autoinhibitory and calmodulin-binding domains." <i>J. Biol. Chem.</i> 270: 23851-23859 (1995). |
| 147 | Yokokura, H., Terada, O., Naito, Y., and Hidaka, H. "Isolation and comparison of rat cDNAs encoding Ca21/calmodulin-dependent protein kinase I isoforms." <i>Biochim. Biophys. Acta</i> 1338: 8-12 (1997). |
| 148 | Yu, G., Smithgall, T. E., and Glazer, R. I. "K562 leukemia cells transfected with the human c-fes gene acquire the ability to undergo myeloid differentiation." <i>J. Biol. Chem.</i> 264: 10276-10281 (1989). |
| 149 | Ziegler, S. F., Marth, J. D., Lewis, D. B., and Perlmutter, R. M. "Novel protein-tyrosine kinase gene (hck) preferentially expressed in cells of hematopoietic origin." <i>Mol. Cell. Biol.</i> 7: 2276-2285 (1987). |
| 150 | Zimmermann, F., Kaufmann, I., Rasenberger, H., and Haussman, P. "Genetics of carbon catabolite repression in <i>Saccharomyces cerevisiae</i> : Genes involved in the derepression process." <i>Mol. Gen. Genet.</i> 154: 95-103 (1977). |

Examiner Signature: *Brendan M. [Signature]*

Date Considered: 11/04/02

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).

PTO-1449.doc